

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	706	(generat\$3 with (content near type\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:04
S2	45	((generat\$3 with (content near type\$1)) same (set with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:20
S3	50	((("5684969") or ("5706210") or ("5886255") or ("4758980") or ("4982390") or ("5181162") or ("5502832") or ("5552833") or ("5611067") or ("5666585") or ("5796403") or ("5808612") or ("5842213") or ("5890188") or ("5893095") or ("5911139") or ("5913205") or ("5915250") or ("6006264") or ("6078513") or ("6138088") or ("4792910") or ("4799192") or ("5193182") or ("5249300") or ("5355474") or ("5448728") or ("5517633") or ("5574845") or ("5659699") or ("5754841") or ("5787446") or ("5832499") or ("5845288") or ("5857197") or ("5870559") or ("5881381") or ("5890149") or ("5958008") or ("5987459") or ("6002772") or ("6021410") or ("6026467") or ("6029160") or ("6038594") or ("6049777") or ("6076077") or ("6088694") or ("6092080") or ("6144962")).PN.	USPAT; USOCR	OR	OFF	2006/04/20 15:18

S4	7	S3 and (content near type\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:21
S5	0	S3 and (instantiate\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:21
S6	7	S3 and (instantiate\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:21
S7	3	S3 and (instantiate\$3) and (content with type\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:22
S8	337	(generate\$3 with content\$1 with type\$1) and (instantiate\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:24
S9	86	(generate\$3 with content\$1 with type\$1) and (instantiate\$3 with content\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 13:05

S10	74	(generat\$3 with content\$1 with type\$1) and (instantiat\$3 with content\$1) and database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:27
S11	59	(generat\$3 with content\$1 with type\$1) and (instantiat\$3 with content\$1) and database\$1 and key\$3 and quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:28
S12	48	(generat\$3 with content\$1 with type\$1) and (instantiat\$3 with content\$1) and database\$1 and key\$3 and quer\$3 and (instance\$1 with (content or object\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:28
S13	24	(generat\$3 with content\$1 with type\$1) and (instantiat\$3 with content\$1) and database\$1 and key\$3 and quer\$3 and (instance\$1 with (content or object\$1)) and (content with sav\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:29
S14	7494	(generat\$3 with ((content or data) near type\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:44
S15	13	(generat\$3 with ((content or data) near type\$1)) and (instantiat\$3 with content\$1 with instance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:46

S16	2866623	(database\$1 or data\$1base)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 15:45
S17	46675	(database\$1 or data\$1base) and ((data or content) near type \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:47
S18	10996	(database\$1 or data\$1base) and ((data or content) near type \$1) and ((associat\$3 or link\$3 or map\$3) with data with type \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:48
S19	5021	(database\$1 or data\$1base) and ((data or content) near type \$1) and ((associat\$3 or link\$3 or map\$3) with data with type \$1) and (type\$1 with (parameter\$1 or attribute\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:49
S20	537	(database\$1 or data\$1base) and ((data or content) near type \$1) and ((associat\$3 or link\$3 or map\$3) with data with type \$1) and (content with type\$1 with (parameter\$1 or attribute \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:50
S21	8	(database\$1 or data\$1base) and ((data or content) near type \$1) and ((associat\$3 or link\$3 or map\$3) with data with type \$1) and (content with type\$1 with (parameter\$1 or attribute \$1)) and (instantiat\$3 with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:15

S22	1341	"content management system"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:15
S23	349	"content management system" and (content near type\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:16
S24	31	"content management system" and (content near type\$1) and (instantiat\$3 with content\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:16
S25	1259	((generat\$3 or creat\$3) with ((content or data) near type \$1)) and ((associat\$3 or link\$3 or map\$3) with data with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:34
S26	2524	((generat\$3 or creat\$3) with ((content or data) near type \$1)) and ((associat\$3 or link\$3 or map\$3) with data with ((content or data) near type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:34
S27	754	((generat\$3 or creat\$3) with ((content or data) near type \$1)) and ((associat\$3 or link\$3 or map\$3) with data with ((content or data) near type)) and (((content or data) near type) with (parameter\$1 or attribute\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:36

S28	0	((generat\$3 or creat\$3) with ((content or data) near type \$1)) and ((associat\$3 or link\$3 or map\$3) with data with ((content or data) near type)) and (((content or data) near type) with (parameter\$1 or attribute\$1)) and (instantiat\$3 with (content near instance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:40
S29	8	((generat\$3 or creat\$3) with ((content or data) near type \$1)) and ((associat\$3 or link\$3 or map\$3) with data with ((content or data) near type)) and (((content or data) near type) with (parameter\$1 or attribute\$1)) and (instantiat\$3 with (content))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:11
S30	16498	(content near type) and ((set or group or subset) near\$5 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:12
S31	10629	(content near type) and (((set or group or subset) near\$5 data) with (generat\$3 or associat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 12:22
S32	723	(content near type) and (((set or group or subset) near\$5 data) with (generat\$3 or associat\$3)) and ((content near type) with (parameter\$1 or attribute\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:14
S33	6	(content near type) and (((set or group or subset) near\$5 data) with (generat\$3 or associat\$3)) and ((content near type) with (parameter\$1 or attribute\$1)) and (instantiat\$3 with (content near type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:18

S34	17564	(content near type\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:18
S35	145	(content near type\$1) and (set\$1 near\$5 data) and (parameter\$1 and attribute\$1) and (instantiat\$3 with instance\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:21
S36	108	(content near type\$1) and (set\$1 near\$5 data) and (parameter\$1 and attribute\$1) and (instantiat\$3 with instance\$1) and automatic\$4 and database\$1 and key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:22
S37	51	((content near type\$1) same (set\$1 near\$5 data)) and (parameter\$1 and attribute\$1) and (instantiat\$3 with instance\$1) and automatic\$4 and database\$1 and key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:23
S38	27	((content near type\$1) same (set\$1 near\$5 data)) and (parameter\$1 and attribute\$1) and ((instantiat\$3 with instance\$1) same (content or type\$1)) and automatic\$4 and database\$1 and key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:38
S39	1	("20030105770").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/21 08:40
S40	3084	(key with (data)) and (key with quer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:43

S41	0	(key with (data)) and (key with quer\$3) and (key with ("content instance"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 17:54
S42	29	(key with (data)) and (key with quer\$3) and (key with (content with instance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:50
S43	13	("20030212697" "5603026" "5684984" "5787442" "5832225" "5838965" "5991766" "6263433" "6269432" "6421688" "6523036" "6751636" "6829630").PN. OR ("6898609").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/21 08:48
S44	561	(key with (data)) and (key with quer\$3) and (key with (instance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:50
S45	3	(key with (data)) and (key with quer\$3) and (key with (instance)) and (automatic\$4 with instantiat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:55
S46	7	(key with (data)) and (key with quer\$3) and (key with (instance)) and (automatic\$4 same instantiat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 10:59

S47	8086	(migrat\$3 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 11:00
S48	56	(migrat\$3 with data) and ((generat\$3 or creat\$3) with ((content or data) near type\$1)) and ((associat\$3 or link\$3 or map\$3) with data with ((content or data) near type)) and (((content or data) near type) with (parameter\$1 or attribute \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 11:00
S49	45	(migrat\$3 with data) and ((generat\$3 or creat\$3) with ((content or data) near type\$1)) and ((associat\$3 or link\$3 or map\$3) with data with ((content or data) near type)) and (((content or data) near type) with (parameter\$1 or attribute \$1)) and (key with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 11:01
S50	4	(migrat\$3 with data) and ((generat\$3 or creat\$3) with ((content or data) near type\$1)) and ((associat\$3 or link\$3 or map\$3) with data with ((content or data) near type)) and (((content or data) near type) with (parameter\$1 or attribute \$1)) and (key with data) and (key with quer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 11:04
S51	36	(migrat\$3 with data) and ((generat\$3 or creat\$3) with ((content or data) near type\$1)) and ((associat\$3 or link\$3 or map\$3) with data with ((content or data) near type)) and (((content or data) near type) with (parameter\$1 or attribute \$1)) and (key with data) and instantiat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 11:11
S52	35	(migrat\$3 with data) and ((generat\$3 or creat\$3) with ((content or data) near type\$1)) and ((associat\$3 or link\$3 or map\$3) with data with ((content or data) near type)) and (((content or data) near type) with (parameter\$1 or attribute \$1)) and (key with data) and instantiat\$3 and instance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 09:54

S53	19158	(content near type\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 15:45
S54	196	(content near type\$1) and (content near type\$1 near object \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 15:47
S55	70	(content near type\$1) and (content near type\$1 near object \$1) and (instance\$1 with (content or object\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 15:47
S56	244	(generat\$3 with (content\$1 near type\$1)) and (type\$1 with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 12:24
S57	127	(generat\$3 with (content\$1 near type\$1)) and (content\$1 with type\$1 with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/05 12:24
S58	89	(content\$1 with type\$1) with workflow\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 12:02

S59	8	(content\$1 with type\$1) with workflow\$1 and (data with different with storage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 17:56
S60	2	(content\$1 with type\$1) with workflow\$1 with polic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 12:02
S61	2	(content\$1 with type\$1) with workflow\$1 same polic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 12:02
S62	26	(content\$1 with type\$1) with workflow\$1 and polic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 10:26
S63	11726	queue and frequency and (cancel or reset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:26
S64	15	queue with frequency with (cancel or reset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 14:34
S65	4	((("6850893") or ("20050044103") or ("20040122849") or ("20040205075"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/22 14:34

S66	7007	generat\$3 with (content with type\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 11:08
S67	5	((("200210147644") or ("7188332") or ("7069271") or ("7062705") or ("20030149934") or ("7117252")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/09 10:33
S68	6	((("200210147644") or ("7188332") or ("7069271") or ("7062705") or ("20030149934") or ("7117252")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/09 10:33
S69	883	generat\$3 with (content with type\$1) and (content with type \$1 with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 11:09
S70	174	generat\$3 with (content with type\$1) and (content with type \$1 with object\$1) and (content with instance with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 11:09
S71	117	generat\$3 with (content with type\$1) and (content with type \$1 with object\$1) and (content with instance with object\$1) and data with (storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 11:10
S72	31	generat\$3 with (content with type\$1) and (content with type \$1 with object\$1) and (content with instance with object\$1) and data with (storage with (distinct or separate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 11:11

S73	12589	instance near object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 13:45
S74	151	instance near object with (two or multiple) with datum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 13:06
S75	60	instance near object with (two or multiple) with datum and (distinct or different or separate) with stor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 13:46
S76	0	instance near object with (two or multiple) with datum and (distinct or different or separate) with stor\$4 and instance with mang\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 13:07
S77	35	instance near object with (two or multiple) with datum and (distinct or different or separate) with stor\$4 and instance with manag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 13:08
S78	1	("5675802").PN.	USPAT; USOCR	OR	OFF	2008/01/31 17:50
S79	1326	(content\$1 with type\$1) with business\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:33

S80	198	(content\$1 with type\$1) with business\$1 and (instance with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:34
S81	172	(content\$1 with type\$1) with business\$1 and (type\$1 with object\$1) and (instance with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:35
S82	67	(content\$1 with type\$1) with business\$1 and (type\$1 with object\$1) and (instance with object\$1) and ((associat\$3 or attach\$3 or mapp\$3) with instance with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:39
S83	57	(content\$1 with type\$1) with business\$1 and (type\$1 with object\$1) and (instance with object\$1) and ((associat\$3 or attach\$3 or mapp\$3) with instance with data) and manag\$3 with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:42
S84	52	(content\$1 with type\$1) with business\$1 and (type\$1 with object\$1) and (instance with object\$1) and ((associat\$3 or attach\$3 or mapp\$3) with instance with data) and (manag \$3 with data) and (key\$3 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:47
S85	51	(content\$1 with type\$1) with business\$1 and (type\$1 with object\$1) and (instance with object\$1) and ((associat\$3 or attach\$3 or mapp\$3) with instance with data) and (manag \$3 with data) and (key\$3 with data) and (key\$3 with instance\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:47
S86	1	("6338056").PN.	USPAT; USOCR	OR	OFF	2008/02/03 15:49

S87	1	("6804674").PN.	USPAT; USOCR	OR	OFF	2008/02/03 15:53
S88	2415	content near management near system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:06
S89	48	content near management near system and (legacy near database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:07
S90	28	content near management near system and (legacy near database\$1) and (object with instance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:07
S91	28	content near management near system and (legacy near database\$1) and (object with instance) and integrat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:08
S92	28	content near management near system and (legacy near database\$1) and (object with instance) and integrat\$3 with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:08
S93	28	content near management near system and (legacy near database\$1) and (object with instance) and integrat\$3 with data and (content with type\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:08

S94	414	(content near type\$1) with business\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:23
S95	60	(content near type\$1) with user with business\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:23
S96	8	(content near type\$1) with user with business\$1 and (content with type\$1 with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:24
S97	18778	content with management with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:26
S98	2572	content with management with system and (user\$1 with content with type\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:26
S99	1111	content with management with system and (user\$1 with content with type\$1) and (type\$1 with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:27

S100	74	content with management with system and (user\$1 with content with type\$1) and (type\$1 with object\$1) and (legacy with database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:27
S101	59	content with management with system and (user\$1 with content with type\$1) and (type\$1 with object\$1) and (legacy with database\$1) and key\$1 with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:28
S102	0	content with management with system and migration with (legacy with database\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:32
S103	2	content with management with system and (migrat\$3 with (legacy with database\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:33
S104	33	content near management near system and (legacy near database\$1) and (content near type\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:16
S105	19	content near management near system and (legacy near database\$1) and (content near type\$1) and (content near instance\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:16

S106	0	content near management near system and (legacy near database\$1) and (content near type\$1) and (content near instance\$1 near object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:16
S107	0	content near management near system and (legacy near database\$1) and (content near type\$1) and (content near instance\$1 with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:16
S108	0	content near management near system and (legacy near database\$1) and (content near type\$1) and (content near instance\$1) with object\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:17
S109	19	(legacy near database\$1) and (content near type\$1) and (content near instance\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:24
S110	61	(legacy near database\$1) and (content with type\$1) and (content with instance\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:25
S111	49	(legacy near database\$1) and (content with type\$1) and (content with instance\$1) and (content with management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:25

S112	243	content with management with system and legacy with (repositor\$3 or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 11:03
S113	9	content with management with system and legacy with (repositor\$3 or stor\$4) with external	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 11:04
S114	10	content with management with system and legacy with (repositor\$3 or stor\$4) with (external or outside)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 11:04
S115	123	legacy with (repositor\$3 or stor\$4) with (external or outside)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 11:10
S116	27	legacy near (repositor\$3 or stor\$4) with (external or outside)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 11:11
S117	486	legacy near (repositor\$3 or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 11:18

S118	21	content with management with system and legacy near (repositor\$3 or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 11:18
S119	27	(legacy near (repositor\$3 or stor\$4)) with external	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 12:06
S120	117	(legacy with (repositor\$3 or stor\$4)) with external	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 12:08
S121	94	(legacy with (repositor\$3 or stor\$4)) with external and management with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 12:08
S122	9	(legacy with (repositor\$3 or stor\$4)) with external and management with system with content	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 12:08
S123	98	analyz\$3 with legacy with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 12:11

S124	75	analyz\$3 with legacy with data and legacy with (repoitor\$3 or stor\$4 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 12:11
S125	19	analyz\$3 with legacy with data and legacy near (repoitor\$3 or stor\$4 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 12:11
S126	112	content with management with system and legacy near (repoitor\$3 or stor\$4 or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 12:13
S127	5	content with management with system and (legacy near (repoitor\$3 or stor\$4 or database)) with external	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 12:15
S128	25	content with management with system and legacy near (repoitor\$3 or stor\$4 or database) and legacy near data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 12:16
S129	1	("7203711").PN.	USPAT; USOCR	OR	OFF	2008/10/14 12:19
S130	183	legacy adj (repoitor\$3 or stor\$4 or database) and legacy adj data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 13:37

S131	3	legacy adj (repositor\$3 or stor\$4 or database) and legacy adj data with analyz\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 13:37
S132	47	legacy adj (repositor\$3 or stor\$4 or database) and content near management near system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 13:39
S133	48	legacy adj (repositor\$3 or stor\$4 or database) with external	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 13:46
S134	48	(legacy adj (repositor\$3 or stor\$4 or database)) with external	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 13:47
S135	0	("20020049626").PN.	USPAT; USOCR	OR	OFF	2008/10/14 13:48
S136	1	("20020049626").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/14 13:48
S137	120	(legacy adj (repositor\$3 or stor\$4 or database)) with management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:00

S138	87	(legacy adj (repoitor\$3 or stor\$4 or database)) with management with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:00
S139	58	(legacy adj (repoitor\$3 or stor\$4 or database)) with (management near system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:01
S140	187	migrat\$3 with legacy with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:14
S141	2	migrat\$3 with legacy with data with content with management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:15
S142	9	migrat\$3 with legacy with data and content with management with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:15
S143	111	migrat\$3 with legacy with data and management with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:16

S144	41	migrat\$3 with legacy with data same management with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 14:16
S145	0	("2003095885").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/09 08:37
S146	0	("20030915885").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/09 08:37
S147	1	("20030195885").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/09 08:38
S148	385	integrat\$3 with legacy with management	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 08:54
S149	16	integrat\$3 with legacy with (content near3 management)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 08:55
S150	22	integrat\$3 with legacy with (content with management)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 08:58
S151	69	VIGNETTE near CORPORATION	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 12:51

S152	59	VIGNETTE near CORPORATION and management	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 12:51
S153	38	VIGNETTE near CORPORATION and content with management	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 12:51
S154	34	VIGNETTE near CORPORATION and content near management	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 12:51
S155	7	VIGNETTE near CORPORATION and content near management and legacy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 12:51
S156	1	("6560639").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/09 12:52
S157	45	legacy with (repositor\$3 or database) same (content near3 management)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 12:56
S158	45	legacy with (repositor\$3 or database\$1) same (content near3 management)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 12:56

S159	71	legacy with (repositor\$3 or database\$1) same (content with management)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 12:56
S160	392	legacy with (repositor\$3 or database\$1) and (content with management) and (content with type\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 12:56
S161	168	legacy with (repositor\$3 or database\$1) and (content with management) and (content with type\$1) and instantiat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 12:57
S162	23	legacy with (repositor\$3 or database\$1) and (content with management) and (content with type\$1) and instantiat\$3 with content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 12:57
S163	32	analyz\$3 with (legacy with (database\$1 or repositor\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 13:21
S164	23	analyz\$3 with (legacy with (database\$1 or repositor\$3)) and management with system	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 13:21

S165	130	dictionar\$3 with metadata with table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 13:54
S166	2	dictionar\$3 with metadata with table and expir\$6 with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 13:54
S167	15	dictionar\$3 with metadata with table and (expir\$6 with (date or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 13:55
S168	18	dictionar\$3 with metadata with table and (expir\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 13:59
S169	318	column with expir\$6 with date	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 14:01
S170	0	column with expir\$6 with date and dictionar\$3 with metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 14:02

S171	25	column with expir\$6 with date and metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 14:02
S172	42	column with (expir\$6 or stale) with (date or data) and metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 14:04
S173	7	column with (expir\$6 or stale) with (date or data) and metadata with index\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 14:04
S174	2	column with (expir\$6 or stale) with (date or data) with metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 14:10
S175	350	(expir\$6 or stale) with (date or data) with metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 14:10
S176	596	(expir\$6 or stale) with metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 14:10

S177	24	(expir\$6 or stale) with metadata and dictionary with metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 14:11
S178	22	(expir\$6 or stale) with metadata and dictionary with metadata and index\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 14:11
S179	386	dictionary with metadata and index\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 14:14
S180	4	dictionary with metadata with row\$1 and dictionary with metadata with column\$1 and index\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 14:14
S181	43	"6842906"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 13:53
S182	1	("6842906").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/10 13:53
S183	1	S182 and legacy same type\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 13:53

S184	1	("7020697").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/10 14:06
S185	1	S184 and legacy same type\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 14:07
S186	3611	legacy with (database\$1 or repositor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 14:11
S187	32	analyz\$3 with legacy with (database\$1 or repositor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 14:11
S188	23	analyz\$3 with legacy with (database\$1 or repositor\$3) and data with (type\$1 or format\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 14:12
S189	47493	(707/2,3,7,8,9,10,101,102,104.1,203,204).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/10/23 11:23
S190	23	analyz\$3 with legacy with (database\$1 or repositor\$3) and data with (type\$1 or format\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 11:23

S191	3	S189 and S190	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 11:23
S192	44	column with (expir\$6 or stale) with (date or data) and metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 15:02
S193	47493	(707/2,3,7,8,9,10,101,102,104.1,203,204).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/10/23 15:02
S194	6	S193 and S192	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 15:02
S195	33	analyz\$3 with (legacy with (database\$1 or repositor\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 15:02
S196	3	S193 and S195	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 15:02
S197	70	(TULKOFF adj MICHAEL) or (COLLINS near JEFFREY)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 15:24

S198	3	((TULKOFF adj MICHAEL) or (COLLINS near JEFFREY)) and content with management	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 15:25
S199	0	((TULKOFF adj MICHAEL) or (COLLINS near JEFFREY)) and legacy with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 15:36

EAST Search History (Interference)

<This search history is empty>

10/24/2009 6:25:59 PM

C:\Documents and Settings\usaeed\Desktop\East work Spaces\10716093.wsp